



Corner Track (Two Piece)



Corner track number supplied as one 90° inside and one 90° outside track, which can be used as either carry or return.

| Corner Track Number | Accommodates Top Plate Width | | Nominal Corner Radius | | Inside Track Radius | | Outside Track Radius | | Thickness | | Width | | Material | Color | Approximate Weight | |
|---------------------|------------------------------|-----|-----------------------|-----|---------------------|-----|----------------------|-----|-----------|----|-------|----|----------|-------|--------------------|------|
| | in | mm | in | mm | in | mm | in | mm | in | mm | in | mm | | | lbs | kg |
| TAB Design | | | | | | | | | | | | | | | | |
| U18R6 | All | All | 18.0 | 457 | 17.3 | 439 | 18.7 | 475 | 0.7 | 19 | 1.5 | 38 | UHMWPE | White | 2.63 | 1.19 |
| U24R6 | All | All | 24.0 | 610 | 23.3 | 592 | 24.7 | 627 | 0.7 | 19 | 1.5 | 38 | UHMWPE | White | 3.51 | 1.59 |

Corner Track (Four Piece)



30 in (762 mm) radius furnished in two 45° segments to make one 90° unit.

Corner track number supplied as two 45° inside tracks and two 45° outside tracks, which can be used as either carry or return.

| Corner Track Number | Accommodates Top Plate Width | | Nominal Corner Radius | | Inside Track Radius | | Outside Track Radius | | Thickness | | Width | | Material | Color | Approximate Weight | |
|---------------------|------------------------------|-----|-----------------------|-----|---------------------|-----|----------------------|-----|-----------|----|-------|----|----------|-------|--------------------|------|
| | in | mm | in | mm | in | mm | in | mm | in | mm | in | mm | | | lbs | kg |
| TAB Design | | | | | | | | | | | | | | | | |
| U30R6 | All | All | 30.0 | 762 | 29.3 | 744 | 30.7 | 780 | 0.7 | 19 | 1.5 | 38 | UHMWPE | White | 4.38 | 1.99 |